

# CELLARCOOL



## WINE CELLAR


### COMMERCIAL GRADE COOLING SOLUTIONS

CellarCool cooling systems are designed exclusively for maintaining the ideal environment for the proper aging of wine within a cellar. Precise temperature and humidity are essential for a prized wine collection.

[www.CellarCool.com](http://www.CellarCool.com)

# WHY CHOOSE

# CELLARCOOL



CellarCool systems are manufactured by the world renowned WhisperKool Corp. WhisperKool has been a leader in product innovation in the wine cellar industry for over 20 years. Our CellarCool products have many advantages over traditional air coolers. They are commercial grade systems for HVAC/R qualified technicians to install in private wine cellars, restaurants, and winery projects. Our systems are designed to be installed into any mounting location to solve the cooling requirements for the climate controlled environment. We have self-contained (through-the-wall) units for projects that have the proper ventilation to an adjacent space; evaporator coils only for technicians that are comfortable

building their own custom systems; plug-n-play ductless systems with coils installed inside the cellar horizontal, vertical, or ceiling mounted; and fully ducted systems for a virtually silent operation. Our state of the art WhisperKool controls are included with the packaged split systems and self-contained systems that feature alarm capabilities, energy saving mode, and anti-frost function. We are proud of the high quality components that go into every CellarCool system and are happy to offer an excellent warranty and preventive maintenance program. Let us help you develop the perfect wine cooling package for your clients.

BUY PACKAGED SYSTEMS FOR EASY "PLUG-N-PLAY" INSTALLATION

OR BUILD YOUR OWN SYSTEMS BY PURCHASING OUR EVAPORATOR COILS ONLY



### Split Horizontal Mounted

- Adjustable fan speed control
- Flexible wall mount or ceiling joist mount
- Black finish that hides unit behind a wood grill
- Extremely quiet in cellar operation
- 55 Degree Temperature Differential
- Detachable access panels to redirect airflow
- Water cooled options are available for split systems
- Coil can be ducted up to 8 feet away



### Split Wall Mounted

- Sleek black powder coated finish
- Quiet & efficient operation
- Beautiful exterior for visible mounting inside cellar
- 55 degree temperature differential
- Advanced electronic control system
- Water cooled options are available for split systems



### Split Fully Ducted

- Coils ducted up to 25 feet away
- Virtually silent in cellar operation
- Sleek black powder coated finish
- 55 degree temperature differential
- Advanced electronic control system
- Detachable access panels to redirect airflow
- Water cooled options are available for split systems



### CX Self Contained

- Direct replacement for Breezaire and Wine Mate
- Dynamic air flow
- 30 degree temperature differential
- Flexible mounting bracket
- Advanced digital controller
- Ductable exterior exhaust



### SL2500 Self Contained

- Slim line design
- Mounted above door
- Dynamic air flow
- 30 degree temperature differential
- Extremely quiet in cellar operation
- Humidity control

### Split Vertical Mounted

- Coil mounts in void corners of racking
- Adjustable fan speed control
- Black finish that hides unit behind racking
- Extremely quiet in cellar operation
- 55 degree temperature differential
- Detachable access panels to redirect airflow
- Water cooled options are available for split systems
- Coil can be ducted up to 8 feet away



COMING SOON

### Split Ceiling Mounted

- Adjustable fan speed control
- Flush ceiling mounted or inside ceiling joists
- Extremely quiet in cellar operation
- Sleek black powder coated finish
- 55 degree temperature differential
- Water cooled options are available for split systems

### Customer Service Support

Deciding on the correct cooling system is very important for the proper operation of a custom wine cellar and for the satisfaction of the end user regarding décor and noise levels. CellarCool wine cooling systems are exclusively sold through our qualified distributors. We also provide a BTU Sizing Wizard on our website to assist with properly sizing the cooling system. When buying the evaporator coils only to customize systems, refer to the product specifications guide for our recommendations on the best condenser to use. Please call CellarCool Customer Service if you need additional assistance with ordering the correct equipment.



### Ultimate Self Contained

- Variable speed fans
- Operates in extreme environments
- 55 degree temperature differential
- Flexible mounting bracket
- Control mounted on front of unit or remote
- Ductable exterior exhaust
- Humidity control
- Energy saving mode



### Ultimate Fully Ducted


- Entire unit mounts up to 25ft away
- Virtually silent in cellar operation
- Operates in extreme environments
- 55 degree temperature differential
- Remote advanced electronic controller with 50 foot cable
- Includes duct boots on exhaust and supply sides
- Humidity control
- Energy saving mode

**CELLARCOOL**  
Wine Cellar Cooling Systems

To find a local distributor, give us a call or visit our website  
**1-855-235-5271 • www.CellarCool.com**

## THE CELLARCOOL DIFFERENCE

The unique difference between the CellarCool systems and traditional air conditioner is the maintenance of well-conditioned humidity. Traditional air conditioning units are designed to cool quickly: as a result, humidity is removed below acceptable levels which can lead to dried out corks and oxidized wine. CellarCool achieves the optimal results by cooling the air slowly, cycling down the temperature while maintaining humidity between 50% and 70% in properly prepared wine cellars. CellarCool offers a collection of quiet, commercial grade wine cooling systems that provide exceptional features, warranty, and service.



# CELLARCOOL

Wine Cellar Cooling Systems

To find a local distributor, give us a call or visit our website

**1-855-235-5271 • [www.CellarCool.com](http://www.CellarCool.com)**